

# STANDARD SWITCH SELECTION GUIDE

MODEL NO.	Circuitry	Electrical Rating	Special Features
GF-323	SPST (Detent)	3A AC .5A DC 125V.	Top Actuated
GF-623	SPST (Detent)	6A AC .5A DC 125V.	Top Actuated
GF-1123	SPST (Detent)	11A AC .5A DC 125V.	Top Actuated
GF-1323	SPST (Detent)	13A AC .5A DC 125V.	Top Actuated
GF-324	SPDT (Detent)	3A AC .5A DC 125V.	Top Actuated
GF-624	SPDT (Detent)	6A AC .5A DC 125V.	Top Actuated
GF-1124	SPDT (Detent)	11A AC .5A DC 125V.	Top Actuated
GF-1324	SPDT (Detent)	13A AC .5A DC 125V.	Top Actuated
GDD-323	SPST (Detent)	3A AC .5A DC 125V.	Top Actuated
GDD-623	SPST (Detent)	6A AC .5A DC 125V.	Top Actuated
GDD-1123	SPST (Detent)	11A AC .5A DC 125V.	Top Actuated
GDD-324	SPDT (Detent)	3A AC .5A DC 125V.	Top Actuated
GDD-624	SPDT (Detent)	6A AC .5A DC 125V.	Top Actuated
GDD-1124	SPDT (Detent)	11A AC .5A DC 125V.	Top Actuated
GDD-326	DPDT (Detent)	3A AC .5A DC 125V.	Top Actuated
GM-311	SPST (Spring Return)	3A AC .5A DC 125V.	Push Down (Momentary)
G-331	SPST (Spring Return)	3A AC .5A DC 125V.	Top Actuated (Momentary)
G-631	SPST (Spring Return)	6A AC .5A DC 125V.	Top Actuated (Momentary)
G-1131	SPST (Spring Return)	11A AC .5A DC 125V.	Top Actuated (Momentary)
G-1331	SPST (Spring Return)	13A AC .5A DC 125V.	Top Actuated (Momentary)
G-332	SPDT (Spring Return)	3A AC .5A DC 125V.	Top Actuated (Momentary)
G-632	SPDT (Spring Return)	6A AC .5A DC 125V.	Top Actuated (Momentary)
G-1132	SPDT (Spring Return)	11A AC .5A DC 125V.	Top Actuated (Momentary)
G-1332	SPDT (Spring Return)	13A AC .5A DC 125V.	Top Actuated (Momentary)
GF-325	DPST (Detent)	3A AC .5A DC 125V.	Top Actuated
GF-625	DPST (Detent)	6A AC .5A DC 125V.	Top Actuated
GF-1125	DPST (Detent)	11A AC .5A DC 125V.	Top Actuated
GF-1325	DPST (Detent)	13A AC .5A DC 125V.	Top Actuated
GF-326	DPDT (Detent)	3A AC .5A DC 125V.	Top Actuated
GF-626	DPDT (Detent)	6A AC .5A DC 125V.	Top Actuated
GF-1126	DPDT (Detent)	11A AC .5A DC 125V.	Top Actuated
GF-1326	DPDT (Detent)	13A AC .5A DC 125V.	Top Actuated

# STANDARD SWITCH SELECTION GUIDE

MODEL NO.	Circuitry	Electrical Rating	Special Features
G-375A	DP 4POS. (Short Detent)	3A AC .5A DC 125V.	Top Actuated (Momentary)
GF-361	3PDT (Detent)	3A AC .5A DC 125V.	Top Actuated
GF-661	3PDT (Detent)	6A AC .5A DC 125V.	Top Actuated
GF-1161	3PDT (Detent)	11A AC .5A DC 125V.	Top Actuated
GF-1361	3PDT (Detent)	13A AC .5A DC 125V.	Top Actuated
GF-342	4PDT (Detent)	3A AC .5A DC 125V.	Top Actuated
GF-642	4PDT (Detent)	6A AC .5A DC 125V.	Top Actuated
GF-1142	4PDT (Detent)	11A AC .5A DC 125V.	Top Actuated
GF-1342	4PDT (Detent)	13A AC .5A DC 125V.	Top Actuated
G-329L	SP 3POS. (Long Detent)	3A AC .5A DC 125V.	Top Actuated
G-329S	SP 3POS. (Short Detent)	3A AC .5A DC 125V.	Top Actuated
G-629L	SP 3POS. (Long Detent)	6A AC .5A DC 125V.	Top Actuated
G-629S	SP 3POS. (Short Detent)	6A AC .5A DC 125V.	Top Actuated
G-1129L	SP 3POS. (Long Detent)	11A AC .5A DC 125V.	Top Actuated
G-1129S	SP 3POS. (Short Detent)	11A AC .5A DC 125V.	Top Actuated
G-1329L	SP 3POS. (Long Detent)	13A AC .5A DC 125V.	Top Actuated
G-1329S	SP 3POS. (Short Detent)	13A AC .5A DC 125V.	Top Actuated
G-490	SP 3POS. (Detent)	4A AC .5A DC 125V.	Top Actuated
G-690	SP 3POS. (Detent)	6A AC .5A DC 125V.	Top Actuated
G-333S	SP 3Pos. (Spring Return)	3A AC .5A DC 125V.	Spring Return One End to Center, Detent Other End to Center
G-633S	SP 3Pos. (Spring Return)	6A AC .5A DC 125V.	Spring Return One End to Center, Detent Other End to Center
G-328L	DP 3POS. (Long Detent)	3A AC .5A DC 125V.	Top Actuated
G-328S	DP 3POS. (Short Detent)	3A AC .5A DC 125V.	Top Actuated
G-628L	DP 3POS. (Long Detent)	6A AC .5A DC 125V.	Top Actuated
G-628S	DP 3POS. (Short Detent)	6A AC .5A DC 125V.	Top Actuated
G-1128L	DP 3POS. (Long Detent)	11A AC .5A DC 125V.	Top Actuated
G-1128S	DP 3POS. (Short Detent)	11A AC .5A DC 125V.	Top Actuated
G-1328L	DP 3POS. (Long Detent)	13A AC .5A DC 125V.	Top Actuated
G-1328S	DP 3POS. (Short Detent)	13A AC .5A DC 125V.	Top Actuated
G-335S	DP 3Pos. (Spring Return)	3A AC .5A DC 125V.	Spring Return One End to Center, Detent Other End to Center
G-635S	DP 3Pos. (Spring Return)	6A AC .5A DC 125V.	Spring Return One End to Center, Detent Other End to Center

# STANDARD SWITCH SELECTION GUIDE

MODEL NO.	Circuitry	Electrical Rating	Special Features
G-378A	3PDT (Spring Return)	3A AC .5A DC 125V.	Top Actuated (Momentary)
G-368L	3P 3POS. (Long Detent)	3A AC .5A DC 125V.	Top Actuated
G-368S	3P 3POS. (Short Detent)	3A AC .5A DC 125V.	Top Actuated
G-668L	3P 3POS. (Long Detent)	6A AC .5A DC 125V.	Top Actuated
G-668S	3P 3POS. (Short Detent)	6A AC .5A DC 125V.	Top Actuated
G-337S	3P 3POS. (Spring Return)	3A AC .5A DC 125V.	Spring Return One End to Center, Detent Other End to Center
G-637S	3P 3POS. (Spring Return)	6A AC .5A DC 125V.	Spring Return One End to Center, Detent Other End to Center
G-360L	4P 3POS. (Long Detent)	3A AC .5A DC 125V.	Top Actuated
G-360S	4P 3POS. (Short Detent)	3A AC .5A DC 125V.	Top Actuated
G-660L	4P 3POS. (Long Detent)	6A AC .5A DC 125V.	Top Actuated
G-660S	4P 3POS. (Short Detent)	6A AC .5A DC 125V.	Top Actuated
G-338L	DP 4POS. (Long Detent)	3A AC .5A DC 125V.	Top Actuated
G-338S	DP 4POS. (Short Detent)	3A AC .5A DC 125V.	Top Actuated
G-638L	DP 4POS. (Long Detent)	6A AC .5A DC 125V.	Top Actuated
G-638S	DP 4POS. (Short Detent)	6A AC .5A DC 125V.	Top Actuated
G-1138L	DP 4POS. (Long Detent)	11A AC .5A DC 125V.	Top Actuated
G-1138S	DP 4POS. (Short Detent)	11A AC .5A DC 125V.	Top Actuated
G-1338L	DP 4POS. (Long Detent)	13A AC .5A DC 125V.	Top Actuated
G-1338S	DP 4POS. (Short Detent)	13A AC .5A DC 125V.	Top Actuated
GG-351	SPDT (Detent)	3A AC .5A DC 125V.	Side Actuated
GG-355	SPDT (Spring Return)	3A AC .5A DC 125V.	Side Actuated
GG-350	DPDT (Detent)	3A AC .5A DC 125V.	Side Actuated
GG-372	SPDT (Detent)	3A AC .5A DC 125V.	Self-Supporting on PC Board, Side Actuated
GG-387	DPDT (Detent)	3A AC .5A DC 125V.	Self-Supporting on PC Board, Side Actuated
G-386	DP 3POS. (Detent)	3A AC .5A DC 125V.	Self-Supporting on PC Board, Side Actuated
GR5-326	DPDT (Detent)	3A AC .5A DC 125V.	Rocker Actuated
GR5-626	DPDT (Detent)	6A AC .5A DC 125V.	Rocker Actuated
GR5-1126	DPDT (Detent)	11A AC .5A DC 125V.	Rocker Actuated
GR5-1326	DPDT (Detent)	13A AC .5A DC 125V.	Rocker Actuated