

Item #	Circuitry	Switch Function	Electrical Rating	Actuator Style & Color	Actuator Height	Mounting	Terminal Style
G-127L-0000	SP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
G-127L-0001	SP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Staggered PC
G-127L-0009	SP- 3Pos.	ON-ON-ON	3A AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Short PC
G-127L-0028	SP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.453 in.	Mounting Ears	Staggered PC
G-127L-0030	SP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Screwdriver V-Slot Black	0.030 in.	Mounting Ears, 4-40 ETMH	Solder
G-127S-0000	SP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
G-127S-3011	SP- 3Pos.	ON-ON-ON	3A AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
G-127S-3013	SP- 3Pos.	ON-ON-ON	3A AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	PC
G-128L-0000	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
G-128L-0001	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
G-128L-0021	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears, 4-40 ETMH	Solder
G-128L-0078	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.125 in.	Mounting Ears	Solder
G-128L-0102	DP- 3Pos.	ON-ON-ON	3A AC .5A DC @ 125V	Radius Knurled Black	0.328 in.	Mounting Ears	PC
G-128S-0000	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
G-128S-0011	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC

Miniature Top Actuated Panel Mount Slide Switch Parts List

<u>G-128S-0016</u>	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	Mounting Ears	PC
<u>G-128S-0019</u>	DP- 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	No Mounting Ears	Long PC
<u>G-128S-0062</u>	DP- 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.328 in.	No Mounting Ears	PC
<u>G-128S-0122</u>	DP- 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.453 in.	No Mounting Ears	PC
<u>G-128S-0152</u>	DP- 3Pos.	ON-ON-ON	8.5A. AC .5A DC @ 125V	Radius Knurled Black	0.125 in.	Mounting Ears	PC
<u>G-128S-0157</u>	DP- 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>G-140S-0000</u>	SP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-140S-0015</u>	SP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	No Mounting Ears	Staggered PC
<u>G-141L-0000</u>	DP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-141L-0001</u>	DP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>G-141S-0000</u>	DP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-141S-0001</u>	DP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>G-141S-0019</u>	DP- 4Pos.	ON-ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>G-141S-0060</u>	DP- 4Pos.	ON-ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>G-141S-0072</u>	DP- 4Pos.	ON-ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.125 in.	No Mounting Ears	PC
<u>G-141S-0073</u>	DP- 4Pos.	ON-ON-ON-ON	6A. AC .5A DC @ 125V	Radius Knurled Black	0.125 in.	No Mounting Ears	PC
<u>G-141S-0077</u>	DP- 4Pos.	ON-ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC

Miniature Top Actuated Panel Mount Slide Switch Parts List

<u>G-141S-3011</u>	DP- 4Pos.	ON-ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-168L-0000</u>	3P 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-168L-0016</u>	3P 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	Mounting Ears	PC
<u>G-168S-0000</u>	3P 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-168S-0034</u>	3P 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.100 in.	No Mounting Ears	PC
<u>G-168S-0043</u>	3P 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>G-168S-0047</u>	3P 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	No Mounting Ears	PC
<u>G-168S-0049</u>	3P 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>G-168S-3011</u>	3P 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-169L-0000</u>	4P 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-169S-0000</u>	4P 3Pos.	ON-ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>G-169S-0005</u>	4P 3Pos.	ON-ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>GF-123-0000</u>	SPST	ON-OFF	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-123-0033</u>	SPST	ON-OFF	3A. AC .5A DC @ 125V	Radius Knurled Black	0.125 in.	Mounting Ears	Solder
<u>GF-123-0054</u>	SPST	ON-OFF	8.5A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC

Miniature Top Actuated Panel Mount Slide Switch Parts List

<u>GF-123-0055</u>	SPST	ON-OFF	3A. AC .5A DC @ 125V .5A AC @ 250V	Radius Knurled Black	0.453 in.	Mounting Ears	Staggered Solder
<u>GF-123-3011</u>	SPST	ON-OFF	3A. AC .5A DC @ 125V .5A AC @ 250V	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-124-0000</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-124-0013</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>GF-124-0015</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Staggered PC
<u>GF-124-0069</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	No Mounting Ears	PC
<u>GF-124-0082</u>	SPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Short PC
<u>GF-124-0088</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	Mounting Ears	Solder
<u>GF-124-0196</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	No Mounting Ears	Staggered PC
<u>GF-124-0198</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Screwdriver Slot Black	0.050 in.	Mounting Ears	Solder
<u>GF-124-0215</u>	SPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.453 in.	Mounting Ears	Long PC
<u>GF-124-0221</u>	SPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Staggered Short PC
<u>GF-125-0000</u>	DPST	ON-OFF	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-125-0001</u>	DPST	ON-OFF	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>GF-125-0007</u>	DPST	ON-OFF	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears, 4-40 ETMH	Solder

Miniature Top Actuated Panel Mount Slide Switch Parts List

<u>GF-126-0000</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-126-0001</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>GF-126-0018</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>GF-126-0020</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	No Mounting Ears	PC
<u>GF-126-0122</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.125 in.	Mounting Ears	Solder
<u>GF-126-0142</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Screwdriver Slot Black	0.125 in.	Mounting Ears, 4-40 ETMH	Solder
<u>GF-126-0145</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	No Mounting Ears	Short PC
<u>GF-126-0159</u>	DPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>GF-126-0234</u>	DPDT	ON-ON	0.5A @ 125 VAC-VDC	Screwdriver "V" Slot Black	0.050 in.	No Mounting Ears	PC
<u>GF-126-0317</u>	DPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.125 in.	No Mounting Ears	PC
<u>GF-126-0327</u>	DPDT	ON-ON	8.5A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC with Solder Shield
<u>GF-126-0331</u>	DPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>GF-126-3011</u>	DPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-126-3013</u>	DPDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	PC

Miniature Top Actuated Panel Mount Slide Switch Parts List

<u>GF-161-0000</u>	3PDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	Solder
<u>GF-161-0001</u>	3PDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	Mounting Ears	PC
<u>GF-161-0005</u>	3PDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.200 in.	No Mounting Ears	PC
<u>GF-161-0039</u>	3PDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	Mounting Ears	Solder With Solder Shield
<u>GF-161-0066</u>	3PDT	ON-ON	0.5A @ 125 VAC-VDC	Radius Knurled Black	0.328 in.	Mounting Ears	PC
<u>GF-161-3011</u>	3PDT	ON-ON	3A. AC .5A DC @ 125V	Radius Knurled Black	0.200 in.	Mounting Ears	Solder